




NATIONAL LIBRARY OF MEDICINE  
Bethesda, Maryland

*Gift of*  
The National Center for Homeopathy



*The  
Maesimund  
Banning  
Panos  
Library*



*Gift of  
A F H*

---



LIBRARY  
AMERICAN FOUNDATION FOR HOMOEOPATHY

Dr. Edward Bayard  
with the high regard  
and esteem of  
Lewis Sanders

New York, 18<sup>th</sup> February 1888.

LIBRARY OF  
EDWARD RUSHMORE, M. D.  
Plainfield, N. J.

LIBRARY  
AMERICAN FOUNDATION FOR HOMOEOPATHY







## LAC CANINUM.

Proving commenced Mar. 13th, '71.

Felt very short in the morning while walking—2, 3.

The symptoms, through the proving, show periodicity; worse in the morning of one day and in the evening of next.

No inclination for the least exertion; would like to do nothing but sleep often—C. M.

In Diphtheria great prostration—Hills.

When walking seems to be walking on air; when lying down does not seem to touch the bed—Wildes.

### SLEEP.

Sleepy all day long; could scarcely keep awake—3, 20, 21.

Very sleepy during the evening—6, 7, 19, 33, 39, 47, 56.

Very restless all night, could not keep covered after C. M.—8.

Cannot find any comfortable position in the bed; there is no way she can put her hands that they do not bother her; falls asleep ultimately on the face.

Woke at night with sensation as if she was lying on a large snake—17, 2.

Can hardly keep awake in the evening, even while reading something very interesting—209 to 216.

Goes to sleep in the daytime if alone; would like to sleep even when people are around, but will not give up to it.

When in bed the arms seem to be in the way somehow; cannot get them in a comfortable position.

On waking the hands are over the head.



Very restless at night; finds it very difficult to get in a comfortable position.

Distressing dreams about cats—20.

Dreams of vermin, especially bedbugs; very disturbing; there seem to be multitudes of them—21.

Dreams of a very beautiful vision, as if the heavens opened and disclosed scenes of indescribable beauty.

Dreams of eating, but everything nauseates terribly (it makes her feel sick to think of it even when awake).

Dreams of a visit from the devil (knew him by the appearance of the body, as seen through a rent in his clothes, which was a glowing red-hot coal), who urged her to eat and drink divers articles; on her refusing, took her to his anatomical museum, where he had the hands of those who had pledged him and the hearts of those who had bartered them for wealth, power and fame.

Dreams of travelling great distances, but generally am in trouble missing trains and coaches.

Dreams of going home, and always getting into trouble; of going to see people, and of being disappointed because they were not glad to see her.

Dreams frequently that I have a child, but that it has no father, and that I am disgraced by it; I never dream of its birth, only that it is mine some other way.

Dreams of seeing nice things to eat, and of having a great desire for them, yet as soon as I eat am terribly nauseated.

Dreamed that I was all one mass of sores inside of me, and that small, round, fat worms (like cheese maggots) were crawling out of the vulvæ and going all over me.

I would take them all off, yet more would come, and I could feel them crawl out one after the other, just as plain as if it was really the case.

On awaking the sensation continued, with violent itching of vulvæ, but was afraid to touch for fear the sores in my groins had really generated worms.

Dream frequently that I am urinating, and wake to find myself on the point of doing so, securing immediate relief.

Continually dream of eating all night, but do not



dream that I am hungry; dreams in connection with walking a great distance, March 28, 1872.

Dreams of going to seashore or to the water many nights in succession.

Dreams of playing ghost and going round to scare folks.

Dreamed of going on a journey and was separated from the party, and had to walk a long distance, and arrived at the station just in time to see the train off.

Dreamed that she is naked in the public streets or other places; feels terribly about it for a while, and then consoles herself that as she has an exquisitely beautiful form, that it will be no odds.

Dreams of the events of the day, but much magnified.

Dream of a terrible pain in left side of chest; felt as if my corsets were broken and sticking into me; the agony was intense when taking them off; woke up exhausted. August, 1873.

#### SKIN.

Orange red spots on face and hands, appearing and disappearing suddenly; small in size, not elevated or having any sensation—3.

Slight itching and excoriation of external labiæ—7.

Itching of the labiæ—8.

Sensation as if an insect was crawling on the shoulders and neck, occasionally on hands—C. M., 15 to 30.

Herpetic eruption in both axillæ, with light brownish scab; externally painful when washing it—7, 11.

NOTE.—Eruption most in right axilla, and in both instances appeared the day previous to the pain in the labiæ, which was followed by a discharge of blood from vagina.

Itching muliary eruptions in upper arms.

Painless eruptions on arms.

A few days before menstruation the inside of both thighs became raw and sore, then broke out with large flat pimples; the excoriation passed away, but the pimples remain; at this date they return, but itch badly—209 to 319.

## FEVER.

Burning of left side of face—4.

Cold and chilly all day until 4 P. M., when she suddenly became very warm, with flushing of left side of face. Fingers extremely cold, but not the rest of hands—6 (still continues, Feb., '73).

Sudden creeping chills in lower limbs—12.

Burning sensation in lower part of abdomen, extending from side to side—13.

Burning in pelvis extending in all directions—14.

Burning sensation all across pelvis, but especially in left side in the afternoon—18.

Lips very dry but no thirst.

## MIND AND SENSORIUM.

Cross and irritable during the headache.

Felt as though I had not a friend in the world, and could cry at any moment; there seems to be nothing worth living for—37.

Very restless; cannot concentrate my thoughts or mind to read.

Wants to leave everything as soon as commenced.

Woke at daylight feeling I was a loathsome, horrible mass of disease (this was while the breasts were affected), disgusting to myself and everyone else; could not bear to look at any portion of my body, not even my hands, as it intensifies the feeling of disgust and horror. Could not bear to have any one part of my body touch the other, had to keep even my fingers apart. Felt that if I could not in some way get out of my body that I should go crazy. Could think of nothing but my own condition—38.

In a short time I fell into slight slumber, from which I awoke free from all mental but not physical symptoms—38.

*Every time* a symptom appears I feel very confident that it is not attributable to the medicine, but is some settled disease.

Sensation or delusion as if surrounded by myriads of

snakes. some running like lightning up and down inside of skin. Some that are in the right side feel long and thin.

Fears to put her foot on the floor lest she should tread on them and make them squirm and wind about her legs. Is afraid to look behind her for fear she will see snakes there.

Does not dream of them, and is seldom troubled with them after dark.

*On lying down*, either by day or night, I begin to think how terrible it would be if any sharp pain like a knife should go through me, and the thought of it causes great mental distress—128.

*Depression of spirits*; doubts her ability; doubts of her success in her profession; thinks she will have heart disease and die of it.

Thinks she is of no importance in life.

Intense ugliness and hatefulness in all words and tenses, passed, present, future—209 to 216.

Writes to her friends all sorts of mean and contemptible things Feb. 20.

Chronic blue condition; everything seems so dark it can grow no darker.

Finds it very difficult to read understandingly anything that requires a mental effort to follow it.

Despondent and hopeless; believes her disease incurable, and that it is not the effect of the drug; does not care whether she lives or dies.

Tendency to omit the final letter in a word, writing only the last letter in words of two letters, having to go over her writing making corrections before sending it; cannot remember even a short paragraph after reading it, but can remember other things; seems to affect only what I have read.

Sensation as if she was going deranged; when I sit still and think sometimes I have the most horrible sights presented to my mental vision (not always snakes); I feel terribly afraid that they will take objective form and show themselves to my natural eye, and I sit and look under the chairs, table and sofa and everything in the room, expecting yet dreading to see some terrible mon-



ster creep forth and feeling all the time that if it does it will drive me raving mad ; I am not afraid in the dark ; it is only in the light where I can imagine that I can see them ; I feel as if I could not refrain from crying out.

On going to bed was afraid to shut my eyes for fear that a large snake, the size of my arm, would hit me in the face ; it was by the side of the bed and had its head near me.

Is impressed with the idea that all she says is a lie, that all of her symptoms are unreal and are the result of a diseased imagination.

Seems very difficult to speak the truth, but continually distrusts things ; when reading anything she rapidly changes the meaning, leaving out or adding things—March 28.

Fears that the pimples which appear on the thighs during menstruation will prove to be little snakes and twine and twist around each other.

Have great fears of falling down stairs at times.

Cannot spell correctly half the time.

Will, when speaking, substitute the name of the object seen for that which is thought—Jan. 73.

No desire to live—Wildes.

#### HEAD.

Headache in upper part of forehead, with sensation of a band being pinned firmly across forehead from one temple to other—2, 3, 4, 9, 10, 12.

Intense headache entirely relieved by application of cold water, but soon returned, thought not so severe—6.

Headache first on one side, then on the other—13, 14, 21.

Headache and nausea on waking ; lasted all of the morning—11.

Headache in frontal region—15, 16, 17, 22, 26, 27.

Frontal headache during afternoon, first on L., then on R. side—18.

Headache over L. eye on first waking ; soon passed off—19, 20, 21.

Headache during the day, first on one side then on

the other ; seems perfectly unbearable ; relieved on first going into the air, but soon grows worse ; headache, and while it continued felt very cross and irritable--23, 24, 25.

Pains in L. temple passing to L. ear, and then to molar teeth of upper jaw—24.

Slight headache for a short time only—28, 30.

Headache only in afternoon, extending from R. temple to molar bone—33, 37.

Headache on R. side—34, 36.

Head feels very heavy and stupid, as if it would be impossible to make the least mental effort.

NOTE.—Headaches are always in upper and fore part of head, however different in character.

Slight frontal headache on waking—53, 60, 61.

Headache nearly all day.

Pains in frontal region—4, 40 m.

Slight frontal headache—7, 45 m., 3 C. M.

Sharp lancinating pain, extremely fine, passing in a zig-zag line from R. side of forehead to an indefinite point at back of head; pain is instantaneous, and is sometimes repeated; as soon as it is felt she lays aside whatever she is doing and lies down, from an indefinite dread that it will return; if, at night, she goes at once to bed Jan. 20th, 1884, days and several after. She has a great deal of this pain.

Head very sore and itches most of the time—209 to 216.

Sore pimples on the scalp, which discharge and form a scab; they are extremely painful when touched or on combing the hair.

On going into the cold wind, felt a terrible pain in forehead as if it would split open. In going into a warm room—172.

Steady aching pain in L. eyebrow, several afternoons; relieved by keeping the head steady—May 8.

Fine lancinating pains in R. side of head—Jan., 1873.

Sensation as if brain was alternately contracted and relaxed several times rapidly, generally only when lying down.

Have had this at times all through the proving. Similar to call Calc. c.

Pain in petrous portion of temporal bone down neck on R. side after taking *Rumex*—April.

Neuralgic pain in L. side of head, followed by a film over L. eye, with inclination to rub it off; rubbing does not relieve—Aug.

#### EYES.

Upper eyelids very heavy; could scarcely keep eyes open; very sleepy—2.

Pain in eyeballs on looking up—22, 23.

Aching pain in eyeballs—40 m., 7, 8.

Occasionally, when looking at an object, would see red spots upon it—75 m., 3.

Difficulty of changing axis of vision—8, 9, 10, 11.

Looking at different objects causes the eyes to ache: pain in eyeballs.

Cannot read, as it causes pains in eyes; the letters look as if the light fell unequally upon them, causing some to be very dark, others very light—40 m., 12, 13.

When reading, the page does not look clear, but seems covered with various pale spots of red, green, yellow, and other colors—75 m., 30.

There seems to be a tendency in the retina to retain the impression of objects, especially of colors, as somewhat of the last color looked at is projected to the next—C. M., 92.

Pain in eyes when reading, followed by a film passing over them, requiring to be wiped off before she can see clearly.

While looking at an object I appear to see just beyond and out of the axis of vision, an object passing across the field of sight, but, upon adjusting the sight to see it, it is gone. It appears always as a small object, like a rat or bird, sometimes on the floor or in the air—112.

Sensation of a film over L. eye, preceded by a neuralgic pain in L. side of head; cannot rub it away—Aug., 1873.

Film over left eye from reading or looking closely at anything.

#### EARS.

Pain in R. ear, sometimes intense—2 to 23.



Pain passing into L. ear from L. Temple—24.

Ring in R. ear—24, 26, 27.

Pain in R. ear, wrist and patella—40 m., 3.

Pain in L. ear—29 to 32.

Pain in both ears—33.

Noises in ears; sensation as though ears were full—Jan., 1873.

Very sharp pain in R. middle ear, while walking in the wind, and to cover it with the hand entire relief; sharp pain in R. side also—Mar.

No pains during the day, but is awakened several times during the night by sore, aching pains in the ear, middle and external, on which she is lying; soon passes off when the pressure is removed—Mar.

Green odorless discharge after C. M.; Mrs. M.; sounds seem far off—Wildes.

#### NOSE.

Catarrh fluent from both nostrils, with sensations of fullness in upper part of nose—4 to 38.

Constant discharge of thin watery fluid, which slightly excoriates edges of nostrils—5.

Considerable sneezing; sore pain in septum of nose, R. side—29.

Constant inclination to pick at sore on septum to get the scab off—30.

Nose still sore—31 to 34, and painful to touch—35.

Scab came off the septum, leaving it as well as ever.

R. side of nose stopped up—37.

Constant watery discharge from nose, which excoriates nostrils and upper lip.

Itching of end of nose inside and out; bad smell in nose.

Catarrh of nose, with bloody discharge; some of it falls into throat—209 to 319.

Sore spot in L. side of nose, high up; on touching it it bled freely, and during the afternoon the nose felt as if it was all filled up, producing a constant inclination to blow it, yet there was not the least discharge.

## FACE.

Right sub. max. gland swollen and sensitive to pressure for twenty-four hours—29.

Lips dry and parched, but mouth full of frothy saliva—6.

Burning in L. side of face, lasting about an hour—4.

Swelling of left sub. max. gland, with much soreness for twenty-four hours.

Severe cold followed by swelling and eruption of lip and nose—May, 1873.

Pulsation of superior coronary artery of upper lip; simulates something living in it—Sept., 1873.

Dark brown areola under eyes in retarded and painful menstruation—chemical.

## TEETH.

Tongue very dry and coated red—2, 3, 5, 7, 8, 12, 13, 14.

Tongue pale red and coated white—34, 37.

Tongue coated brown—9.

Putrid taste in mouth as if she had eaten spoilt meat.

Much increased by eating sweet food; great aversion to anything sweet—2, 3, 8, 13.

Tongue clean, no bad taste in mouth—4.

Increase in quantity of saliva, which is slightly viscid—2, 18.

Frothy mucous in mouth, increased by going into open air and by eating—4, 5.

Mouth constantly full of saliva; lip dry and parched—6.

Sore in lower jaw behind right molar teeth, lasting two days—8, 9.

Mouth full of mucous; no expectoration, but constant inclination to swallow, which causes pain—12.

Roof of mouth and posterior walls pharynx covered with a grayish white deposit—13. Lips very dry but no thirst—18.

Mouth and throat covered with dark yellow spots—37.

Mouth full of frothy mucous; inclination to swallow—40 m 1.

Swelling of L. sub. lingual gland (vanula)—75 m 21.

Folds of inner lining of L. cheek creased and painful—C. M., 14.

Roof of mouth very sore with blisters that break and leave loose skin; any seasoned food causes great pain—Dec., 72.

#### THROAT AND OESOPHAGUS.

Some redness on left side of throat, but no sensation of soreness—2, 3.

Same as above with slight sensation of soreness on right side, with raw sensation and constant inclination to swallow—4, 5. Throat better—6.

Throat sore in afternoon and evening on right side, with constant inclination to swallow—7.

Throat sore and raw on R. side with tickling sensation in throat—8

Raw sensation in back part of throat, with tickling and sense of constriction in upper part of throat, causing inclination to cough—9. Throat nearly well.

Throat inflamed and painful; sore, grayish, yellowish patch on right side just above tonsil; constant inclination to swallow, which causes pain in the throat and is relieved by eating—12.

NOTE.—The throat was examined this day by two allopathic physicians; it was pronounced to be diphtheria and immediate cauterization was advised.

Roof of mouth and back part of pharynx covered with a grayish yellow deposit, the greater part of which disappeared in about an hour—13.

Throat sore on right side; constant inclination to swallow. Throat better by noon; deposit nearly gone; worse again at night.

Throat slightly sore—14, 15, 16.

Throat well in the morning but a little sore on R. side in afternoon.

Sensation as if there was a lump in the R. upper part of the throat—17.

Throat slightly sore on R. side, with constant inclination to swallow—18 to 22, 34, 37.



Throat slightly sore on L. side—23, 24, 25.

Throat almost well—26, 27.

Throat and mouth covered by dark yellow spots—37.

Sensation as of a lump in the upper and R. side of pharynx—75 m., 2.

Throat sore on left side, C.M.—3, 4.

Throat very sore on left side, painful to external pressure on both sides—12.

Painful to external pressure on R. side only—15.

Constant desire to swallow—40 m., 1.

Pain in upper and R. side of pharynx—16.

Constant inclination to swallow, which causes pain extending to R. ear.

Throat very sore on left side, painful to external pressure both sides, C. M.—15.

Sore throat on R. side, low down and extending up to ear, with pain when swallowing, sensitive to external pressure, slight coryza, clinical.

Throat slightly sore all the time, no particular spots, but all over—209 to 319.

Throat commenced to be sore on L. side, and by night was so bad that I could scarcely swallow, which caused great pain; slight increase of saliva—Feb. 22.

Throat nearly well in the morning. by night entirely well on the left side, but very sore on the right side, which was covered with a grayish yellow patch—Feb. 23.

Throat well on right side, and sore on left side, about 12 hours after well on left side, but sore on right; continued about 12 hours and then left her entirely free. All these throat symptoms ended as they had begun, with menstruation—Feb. 24.

Throat sore on left side, with cough, caused by an irritation in the upper part part of throat, lying down at night after eating and drinking and driving and talking—Mar. 2.

NOTE.—The soreness commenced with a tickling in throat, which caused constant coughing; came and went with menstruation.

## CLINICAL.

Lump on left side of pharynx, below tonsils, causing an enlargement which filled the arch of palate nearly to R. side (after Lach failed, Lac. can, 1 m. W., 3 doses cured).

Sore spot on left side of throat, only at night by 1 m. entirely relieved; next night same appeared on right side of throat, after 1 m. appeared no more—clinical.

Soreness of throat commences with a tickling sensation which causes a constant desire to cough, then a sensation of a lump on one side which causes constant deglutition; the condition entirely ceases only to commence on the opposite side, and often alternates, again returning to its first condition—These sore throats are very apt to begin and end with menstruation characteristic.

For about two weeks had sore throat all the time (diphtheritic)—Oct.

Throat sore principally on L side—Dec. 17

Throat still continues sore, principally on R. side—Dec. 20.

Throat entirely well—Dec. 23.

Throat better, but caused severe pain in both knees—clinical after C. M.

Pricking sensation in throat as if full of stitches—Mrs. M. clinical.

Sore throat beginning on left tonsil, which was swollen and ulcerated, or presented a depression covered with a white patch—Baylis.

Throat feels swollen and raw—B.

Pricking and cutting pains shoot through tonsil when swallowing—B.

When swallowing solid food, it seems to pass over a lump, with sore and aching pains extending to L. ear—B.

Gargling with warm water brought up a little stringy mucous.

No aversion to cold drinks—B.

While drinking, fluid escaped through nose—B.

Disease extended to palate and right tonsil, parts were red and shiny—B.

Throat has a burnt, drawn feeling as from caustic—B.

Tonsils swollen so as almost to close the throat—B.

Tonsils swollen and diphtheritic—B.

Dr. Smith, Dec., 1875, whole side of R. side covered with diphtheritic patch, gave Lac. c. 1 dose C. M. ; next day one half patch gone; gave second dose Pulk 120, loss of appetite and great prostration.

Third day very small piece of membrane on edge of tonsil ; made rapid recovery.

#### APPETITE AND TASTE.

Putrid taste increased by eating anything sweet ; aversion to sweet things—2, 3, 8, 13.

After eating increase of frothy saliva—4, 5.

Constant inclination to swallow during most of the proving —7, etc.

Great taste for cold water, drinking frequently, but in small quantities ; the cold water causes pain in the teeth —8, 9, 19, 20, 23.

Appetite increased with considerable nausea ; hungry all day ; cannot eat enough to satisfy herself ; feels as hungry after eating as before—13 to 19.

Appetite normal—21.

NOTE.—The appetite usually poor has been increased during the proving ; great disinclination to eat anything, yet as soon as she commences the dislike passes off and the food tastes good—209 to 216.

Desire for high seasoned dishes which is very unusual, and have used mustard and salt freely—379.

Appetite good; eats until she is ashamed of herself, and leaves the table with a desire to eat as much more, though she has no hunger until she sees the food.

Have had a great repugnance to meat ; could not eat a mouthful, but now have a craving for it—Jan. 3, 319.

Vivacious appetite ; can scarcely get enough to satisfy her ; could eat at least six times a day.

#### STOMACH.

Nausea while in bed  $\nabla$  during motion ; eructations tasteless, continued all day—6.



Nausea with headache on awaking, continuing all morning—11.

Nausea when rising—14.

Nausea when leaning forward, with intense sharp pain in L. side abdomen—17 to 25.

Nausea relieved by eructations of wind.

Sinking, gone sensation at pit of stomach—Wildes.

#### ABDOMEN AND PELVIS.

Pain in A., but principally in R. ovarian region—17, 18, 22, 38.

Pain in R. side of pelvis; while it lasted there was none in L. side—22.

Sharp pain in R. ovarian ; intermittent during afternoon.

Rumbling and gurgling in L. lower A., with much pain in all directions in L. side  $\swarrow$  from pressure—6.

Sharp shooting pains in A. pelvis in  $\searrow$  L. side; riding in a carriage seems to jar me and increases the pain ; while walking has no effect ; clothes feel heavy—B.

Intense sharp pain in L. side of A., with nausea when leaning forward—17 to 25, 37, 38, 43.

During afternoon burning sensation all across lower A. particularly in L. side with considerable pain—18.

Feeling of tension in left groin ; do not want to walk or stand, as it increases the sensation ;  $\searrow$  flexing leg or abdomen—21.

Pain and tension in left groin—19, 21, 22, 25, 37.

Burning pain in left side of pelvis—20, 21, 23.

Pain and burning in L. side of pelvis and A., with weight and dragging on that side ; clothes feel very heavy—21, 22, 23.

Pain extending from crest of L. ilium to L. ovarian region—37.

Sensation of external heat in L. side of A. and pelvis; not confined to any spot, but general, sharp pain in L. anterior superior spine of ilium during expiration—38.

Pain in L. ovarian region and extending over lower part of A., continuing all morning; pain in lower part of A. L. side,  $\swarrow$  weight of arm or hand—43.

During evening slight sensation of pressure from within outwards; slight pain in L. side of A. and pelvis, which lasted only a few minutes.

Pain in A. caused by leaning forwards—12, 14, 17.

Abdomen very sensitive to pressure—13.

Burning sensation in lower part of A. extending from side to side.

Slight pressure in A. from within outwards.

Burning in lower A. with pain in all directions.

Pressure from within outwards, as if the contents of the A. would be forced outwards laterally above the pelvis.

Extreme heat in abdomen—15, 16, 17.

A. hard and extremely sensitive to deep pressure—16, 17.

Pains in A. relieved by leaning back.

Pains intermittent.

A. swollen and hard sensation when walking as if A. would burst.

A. swollen and sensitive to deep pressure, which also causes nausea; the nausea passes off when the pressure is removed—17.

A. very hard and feels as if it would burst.

Severe shooting pains in A. passing in all directions—33, 36.

Rumbling and gurgling with escape of flatus, followed by watery diarrhoea only during the morning.

A. swollen very hard in the evening—37, 43.

Cutting pain in lower part of A.  $\leftarrow$  pressure of hand or arm.

During evening slight sensation of pressure from within outwards; slight pain in L. side of pelvis which lasted only a few minutes—60.

After 40 m.

A. feels as though it would burst; great distress all over the bowels and pelvis; slight relief by leaning back—5.

Felt as if A. and chest were firmly compressed all over, as if the skin was contracted—20.

Sharp pain in L. side of A. in front of ilium; pressure of clothes was painful; entirely relieved by loosening them.

After 75 m.

Pain in L. ovarian region during menstruation—4.

A. very sensitive to pressure and weight of clothes; entire relief by removing them—5.

Pressure of clothes caused intense pain and distress in A. —7.

Constant pain across lower part of A. —28.

Very acute pain in L. groin, extending up L. side to crest of ilium > by stool; sometimes the pain is in the track of the colon clinical.

Pulsated boring pain in A. to left of umbilicus for several days—Aug. 73.

#### ANUS AND FÆCES.

Frequent ineffectual urging to stool with much tenesmus—5.

Very watery diarrhœa with much pressure in anus —6.

Constant prickling sensation in anus, lasting all the morning.

Watery diarrhœa in morning, preceded by rumbling and gurgling in abdomen, with escape of flatus—33.

NOTE.—The frequent but ineffectual urging to stool has been very annoying all through, with the exception of the 6th and 33d day.

The stools have been regular and natural once a day.

Bowels slightly constipated, occasionally natural passages.

Urgent desire for stool, but passes nothing but wind, or possibly one or two small pieces like sheep's dung. Considerable wind in A, with rumbling, but never any pain—C. M., 209 to 216.

When having a soft passage there is great tenesmus, the rectum does not act as if it had lost power, but as if it could not expel them, because they are soft and adhered to the parts like clay—(Plat).

Rumbling in A, which is slightly distended. Great constipation before and after menstruation, bowels loose (not diarrhœa) while menstruating—Jan. 3, 319.

Frequent and urgent desire for stool, sensation as if the stool could not be evacuated on account of its great size and hardness, pressure all across the perinæum.

NOTE.—It is possible this was retroversion of uterus, as no stool followed the effort, no examination was made.

Tenesmus, but the stool was of the ordinary consistency—395.

Several cases of retroverted uterus have been relieved by Lac. Can., after two doses C. M., profuse diarrhœa with colic pain, diarrhœa watery, profuse, coming out with great force.

#### URINARY ORGANS.

Urine frequent, scanty, high colored. Urination causes intense pain in the vulva when even the least drop comes in contact with it—8.

Pain in urethra during micturition, lasting for a short time afterwards—12, 13.

Urine frequent, scanty, high colored, with red sand sediment—18 to 22.

Urinates frequently, light colored and profuse—23 to 30.

Sensation after urinating as if bladder was still full—30.

Emission of a few drops after urination.

Urination continued profuse, and more or less profuse till this day, when all abnormal symptoms ceased—37.

Constant inclination to urinate, urine profuse and normal in color, the desire continues after urinating—51, 52, 59, 63.

Constant desire to urinate, with frequent scanty emissions—75.

NOTE.—Urination has been specially troublesome at night, causing her to wake two or three times every night to urinate.

After 40 M. constant desire to urinate, but it is easily restrained—2.

Frequent urination, quantity variable, light colored.

Constant desire to urinate, urine scanty and very light colored—9, 10.



Constant and urgent inclination to urinate in large quantities, though not at all thirsty. Urine high colored. Next day the same urgent inclination, but the urine was scanty, very turbid, and leaving a reddish sediment—209 to 216.

Constant desire to urinate, passing large quantities frequently at night, she dreams of urinating and wakes to find an immediate necessity.

Frequent desire to urinate which, if not immediately attended to, causes a pain in region of bladder, pain is a numb dull sensation, if it is not relieved by urination it spreads over abdomen and the left side to the ends of the fingers, never in the head—May.

Would frequently wake at night and dream of the pain, and would have to urinate to relieve it.

After urinating a few more drops dribble out—Jan. 28th, '73.

Very frequent desire to urinate, passing a larger quantity in proportion to the water drank—Apr. 8, '73.

#### MALE GENITAL ORGANS.

Chancre on prepuce, left side of frenum granulating rapidly from centre to circumference—Clinical.

#### FEMALE SEXUAL ORGANS.

Leucorrhea lasting all day 'till 6 P. M., < standing or walking—5, 6, 20.

Leucorrhea all day, but none at night, even after taking a long walk—7, 8.

Leucorrhea during the afternoon only—12.

Slight leucorrhea—13, 14.

Leucorrhea only while standing—34.

Leucorrhea continuing many days in succession.

Slight excoriations and itching of external labia—7, 8.

Intense pain in labia while urinating, continuing until the last drop had passed—8.

Pain in pelvis principally in R, ovarian region—18.

Pain in R. side of pelvis, while it continued there was none in left side—22.

Severe pain in R. ovarian region, which was completely relieved by a flow of bright red blood, which continued about an hour and did not return—26. 1038 Day.

Sharp pain in R. ovarian region, during afternoon, not constant, but intermittent—38.

Severe pain in R. ovarian region, > by a thick leucorrhœal discharge—27.

Pain in uterine region, and particularly in region of L. ovary, extending downwards into thigh, > leaning back.

Pain intermittent—16.

Pain in L. ovarian region. Pain extending to crest of ilium from L. ovarian region—37.

Pain in L. ovarian region, extending across lower A. all the morning—38.

Sharp pain in all directions in L. side of pelvis—6.

Sharp shooting pain in pelvis, < in L. side, < by riding, but not by walking—13, 14.

During afternoon burning pain and sensation across pelvis, < L. side—18.

Burning in L. side pelvis, great pain from within outwards—20.

Pressure from within outward, not downward—14.

Pain and burning in L. side of A. and pelvis, with weight and dragging on that side—21 to 25.

Clothes feel very heavy.

Burning sensation in whole uterine region, also ovarian—13, 14.

Menses commenced three days too soon, scanty and intermitting uterine, and ovarian regions extremely hot—15.

Pain in uterine region, having no particular direction except downwards on inner side of each thigh, half way to knee.

Menstrual blood bright red, when putting it into water it forms itself into long strings, which soon dissolve.

Passage of several small pieces of thin, white, transparent substance, having a distinctly organized structure, but extremely delicate.

A. swollen and hard, flow more profuse and blood more natural—16 and 37.

Intense and sharp pain in left groin—17, with nausea and vomiting when bending forward. Abdomen swollen and sensitive to deep pressure, which causes nausea, soon passes off—18.

Sensation while walking as if A would burst—17, 18.

Feeling of tension in L. groin; does not want to walk or stand, as it increases the sensation; > by flexing the leg or the thigh—18 to 23, 37, 38.

Menstruation ceased—19.

Menstruation commenced 7 days too soon; flow came in gushes, bright, scanty and intermittent, preceded by much flatulence in bowels—37.

Menstrual blood bright red, stringy and scanty.

Menstrual flow more profuse but not as much as usual. Blood somewhat stringy—38.

Menses commenced 7 days too soon; scanty, but otherwise normal.

Sensation of pressure from within outward during the evening—60.

Slight pain in L. side of pelvis, continuing but a short time.

After 40 m., menses commenced 12 days too soon, constant pain in R. ovarian region—4.

Great distress all over pelvis and A.; seems as if it would burst; slight relief from leaning back—5.

Constant pain in left ovary—6.

Intense painful soreness of labiæ, extending to anus, coming on suddenly about noon, continuing two hours; came on again during the evening; could not walk, stand or sit; > by lying on the back with the knees separated as far as possible; < by contact with the urine—19.

After 75 m., menses commenced at the regular period, scanty at first, with considerable pain in the region of L. ovary—5.

Flow very profuse. A. very sensitive to pressure and also to the weight of the clothes; entire relief by removing them—6.

Flow very profuse and gushing—7, 8, 9.

Pressure on anterior part of labiæ, entire relief by sitting—7.



Sensation as if everything was coming out at vulvæ.

Pressure of clothes causes intense pain and distress in abdomen.

Itching of labiæ—12. Painful pimples on mons venieres—20.

Discharge of blood from vagina all day, scanty and bright—22.

Pressure on labiæ causes a slight flow of blood—27, 28, 29.

Menstruation commenced entirely normal.

*After C. M.*, sexual instinct extremely excited; very much increased by the slightest touch of the hand on the bosoms, or from the pressure on the labiæ when sitting, or from slight friction when walking.

Very severe darting pains, passing from L. external labial, through the uterus to the R. ovary, lasting about two hours, and was followed by a profuse discharge of bright red blood—12.

When the discharge ceased (which was immediately after bathing the feet in cold water), sharp burning pains were felt in R. ovary and temple; these pains soon disappeared, but were followed by pains in L. ovary and temple; these pains alternated from R. to L., when I fell into a restless sleep and continually threw the clothes off.

Pain in the labiæ, relieved by a slight discharge of blood—12.

Menstruation commenced, flow scanty—15.

Flow scanty—16, 17.

Flow very profuse, almost like flooding—18.

Pain in L. side of labiæ, neuralgic, short and rather sharp, followed by a slight discharge of blood several hours afterwards; these pains were preceded by a painful hepatic eruption in the axilla—34.

Strong pulsations in the labiæ and vagina were experienced at various times during the proving, and there was great pain in the labiæ while sitting.

Every evening after dinner there was a discharge of blood, slight, but which would be increased by pressure on the labiæ—39 to 44.

Menses commenced at regular time and entirely normal—44.

Menstruation normal as to period and quantity, but it has a strong ammoniacal smell, and rushes out very easily; at the close of it the smell was horrible, ammonia predominates, and stains a dark olive green—Nov.

Raw and bad-smelling sores between the labiæ and thighs, in the folds of the skin, & when walking, would rather keep still at the time. These sores are covered with a disgusting white exudation—209 to 216.

Intense itching of the labiæ at night; feels at times as if it was caused by something alive in it.

The parts feel very much contracted, as if from a stringent application.

Menstruation commenced scanty, and accompanied with a slight feeling of distress in abdomen—Feb. 22, 226.

Menstruation 4 days too soon, otherwise normal—Mar. 17.

Discharge of blood from vagina 12 days after menstruation; no pain—Mar. 28.

After menstruation imagines all sort of things about snakes.

Congestion, redness and extreme tenderness of the os; was intensely aggravated by Lac. C.; 75 n., clinical.

Menstruation preceded by a dry, shaking continuous cough; & speaking caused by a dryness in larynx, and causing a soreness in A.; the menstruation closed by the blood when wet being grass green, dying dark green—725.

Menstruation at various times was preceded by accession of flatulence. At sundry times during the proving there was an escape of flatus from the vagina.

Aching pain in the sacral region in the morning; & stooping; > leaning back; with a sort of weakness and giving way, as if she would fall.

This pain extended around the left side of pelvis, leaving the back, to the inside of the thigh, followed by a bloody leucorrhœal discharge, after the menses, which came all at once, leaving the labiæ very sensitive.

Frequent desire to urinate, passing only a small quantity, causing intense burning and smarting, as if there was a canker sore; this passed away before she had an

opportunity to examine the parts. Subsequently an induration appeared on the inside of the R. thigh, having a flat center, like a pimple with the head cut off; this speedily increased to a large boil, the indurated part being near three inches in diameter, much inflamed.

Nodosity in upper part of R. labia as large as a pea, painless—Apr. 8.

Menstruation every two weeks, accompanied by lassitude, pains in the uterine region, and slight headache—Aug., 1873.

CLINICAL.—Inflammatory and congested condition of uteris, with extreme soreness and tenderness that made every motion, position, even breath, painful.

Rousing up and strengthening of the uteris, bringing rapidly forward the conditions preceding menstruation, which formerly have been dilatory and lingering for weeks. Dysmenorrhea, Hills, enlargement of L. ovary, could be seen protruding, sausage shaped, discharging flatus from vagina that passed from ovary, with a sensation of small marbles passing down, with yellowish and brownish leucorrhea—cured.

Severe pain in entire uterine region, with profuse discharge of yellow, brown and bloody leucorrhea two weeks after menstruation.

Intense pain and enlargement of L. ovary, from which perceptibly felt flatus passing downwards like small marbles, causing great pain and discharging externally with a puff. Sharp lancinating pains cutting upward from os, and as they were being relieved sensation as of muscle darting upwards in uteris. Soreness and enlargement of breasts came by Lac. c. crictidine.

#### MAMMÆ.

Pain in upper and outer margins of breasts—34.

Breasts seem very full; constant pain in nipples—35.

Constant pain in breasts; they feel sore when going up and down stairs—36.

Breasts painful and sore; feel as if full of hard lumps; painful when going up and down stairs—37.

Breasts painful and sore, but not full of lumps; pains are caused by the least jar; have to hold the breasts firmly when going up and down stairs.—38.

Breasts  $\nearrow$  towards evening, so that the pressure of the arm in its natural position caused considerable pain.

Sore spot on R. side of R. breast about size of silver dollar; sensitive to touch and jars caused by going up and down stairs—55.

Similar sore spot on L. side of R. breast—58.

Breasts very sore; sensitive to pressure, however slight; dull and constant aching pain in them all evening—72.

Knots and cakey in breasts entirely relieved with 1-10 m. caused by albutus—clinical.

After 40 m.—Breasts sensitive to deep pressure—5.

Breasts sensitive to light pressure—18.

Aching pains, dull and constant all evening, in breasts.

Breasts very sore and sensitive to pressure for a day or two during menstruation.

Galactorrhoid, May cases.

Given for an ulcerated throat to a nursing woman; cured the throat and nearly dried up the milk—clinical.

For drying up the breasts when nursing.

#### LARNYX AND TRACHEA.

Considerable expectoration of slightly viscid mucous—3.

Voice seems changed and very rough—5.

Frequent inclination to cough from a tickling sensation in upper and anterior part of larynx  $\nearrow$  while in the house and when talking—7.

Tickling sensation in throat—8.

Tickling and sense of constriction in upper part of throat, causing a constant hacking cough—9.

Cough from tickling in upper and anterior part of larynx  $\nearrow$  when lying down or talking; dry hacking cough; no expectoration—10 to 22.

Cough with oppression of chest, also some pain; cough jars all over—37.

Cough caused by tickling under middle of sternum.



Reverberation of voice as if speaking in a large empty room, with pain in frontal region, first over one eye, then over the other.

Dry, shaking, continuous cough, caused by dryness of larynx and by speaking, and causing soreness of A. / this cough preceded the menses & ceased afterwards—725 and subsequently.

#### CHEST AND HEART.

Raw sensation in chest, as if it had been scraped—2.

Woke just before light, feeling almost suffocated; had to go to an open window—6.

Oppressed for breath all day; only comfortable when in open air.

Pain in R. chest, under 4th rib, on taking a deep inspiration—13, 14, 20.

Fine stinging pain in middle of sternum, superficial, lasting about half an hour, but came on again during the evening—12.

Bruised sensation in R. chest on taking a deep inspiration.—20.

Pain and oppression of chest when coughing; the cough seems to jar all over—37.

Tickling under the middle of sternum, which causes cough.

Pain in region of 7th and 8th ribs, caused by a deep inspiration—40, 44.

Pain in evening same as above—50.

*After 40 m.*—Irregular palpitation of heart, causing shortness of breath; sensation as though chest and A. were firmly compressed all over—20.

*After C. M.*—Severe pleuritic pain in region of 4th rib, R. side; much increased by respiration—7.

Same pain so severe as to cause exclamations—8.

Whole left chest felt sore and congested; could scarcely draw a long breath—Aug., '73.

Boring pains in all parts of chest.

## BACK.

Backache nearly all day between the scapulae; ↘ after becoming warm, ↗ by leaning back; ↘ by leaning forward—5, 6, 8, 15, 16, 17, 32, 38.

Pain in sacrum, ↘ by riding, but not by walking—13, 20, 38, 14.

Backache between and just below scapulae when leaning forward—17.

Pain just below R. scapulae—22, 23, 39, 42.

*After 40 m.* Pain in back from scapulae to sacrum—5.

Sweat on back while walking; after entering a warm room it chilled me, though the day was very cold; 'o' F.—Dec. 25th.

## UPPER EXTREMITIES.

Wrists lame, especially R., with sharp pains passing from thumb to little finger—12.

R. wrist lame and painful—13.

Sharp pain passing from R. shoulder to 2d joint of 3d finger—15.

Pain in bend of R. elbow—20.

Sharp shooting pain in ball of R. thumb—30.

Fingers extremely cold, but not the act of the hand—6.

Slight lameness of L. shoulder—10.

Wrists lame—21, 22, 25, 29, 11, 12, 14, 20.

Biceps very sore at lower part; only felt during motion, not from touch—40.

*After 40 m.* Pain in R. wrist—3.

Pain in third finger of R. hand, from middle joint to tip—6.

Pain in ball of R. thumb; fetid sweat of axillary glands, staining brown—15, 17.

*After 75 m.* Severe pain in L. elbow—1, 2, 3.

Painful eruption in axilla; painful when washing; it looks like moist zorses—26, 27.

*After C. M.* Herpetic eruption in both axillas, with light brownish scabs; painful when washing them—7.

Pains in all parts of hands—12, 15, 17.

Herpetic eruption in axillæ; painful preceding neuralgic pains in labiæ--34, 35, 36.

Itching miliary eruption in both upper arms--Oct.

Sweat in axillæ stains linen bright orange color; no smell.

Painful swelling, with hardness; with suppuration of L. axillary gland.

Menstruation came on at the same time--195.

Itching in both wrists, especially when lifting anything--39 to 44.

Severe fine pain, lancinating along outer bones of bicep muscle of L. arm,  $\nearrow$  on raising the arm. This alternated with a similar pain on the top of L. knee, which made it difficult to stand on the foot, and caused me to walk lame; at no time did these pains occur at the same time. Sometimes they would last five or ten minutes in the arm, and then all would go to the knee, or they would last half an hour in one place and not go to the other.

I was scarce free from them for two days; never had them before or since.

Severe pain for all of one day in R. wrist; pain seemed to be deep in the centre; severe pain in metacarpal phalangeal joint of index finger of L. hand,  $\nearrow$  pressure; also, from bending the finger backwards; lasted severe about a week, but still continues a little--Nov.

Severe pain of similar character in L. shoulder joint; felt only during certain movements of arm, and especially when rotating it outward and backwards.

Nov. 20/73. Still continues Feb. /73. Same in both shoulders, Mar. /74, with constant desire to urinate. Soreness of ends of fingers continues several days--Aug. /73.

#### LOWER EXTREMITIES.

Painful stitches in R. big toe while walking, knees and wrists lame--10, 11.

Pain in right popliteal space--13, 14, 15.

Pain passing from R. popliteal space to back part of ankle.

Pain in R. popliteal space  $\leftarrow$  by stretching out the leg and everting feet—20, 21.

Walks lame, right leg seems too long; foot swollen and very sore, causing considerable pain while walking—7.

Sudden creeping chills in lower limbs—12.

Pain at inner and fore part of L. knee—15.

Pains in both wrists and knees—22.

Burning in ball of L. big toe—26.

Burning on inner side of L. big toe—27.

Pain in both knees in evening; slight relief by stretching both limbs out straight—42.

*After 40 m.* Pain in R. patilla at same time; pain in R. wrist and ear—8.

*After 75 m.* Varicose veins on outer R. thigh from hip to knee joint—3.

Sensation of membranes in L. leg, with great heat as if burning, but cool to the touch; brought on by pressure on popliteal space, as edge of chair (2 days)—24.

*After C. M.* Varicose veins on outside of both thighs.

When walking sensation as of a pea in outer part of R. knee-joint; walked as if lame—7.

Slight excoriation of skin between thighs, caused by walking.

Veins of legs and ankles very much swollen—12.

A few days before menstruation commenced the inside of both thighs became raw and painful when walking; they then broke out with large flat red pimples, no pus in them; the soreness soon left, but the pimples remain; they have no sensation—142.

Sensation in R. knee-joint, as though the leg below was turned outwards; constant inclination to put the hand down and bring it into place again; felt only during the evening; there was no displacement—153 to 160.

During the menses the same pimples on the thighs have come out; she worries herself for fear they may prove to be little snakes—172.

Pimples returned, but itch terribly—209 to 216.

Fine, sharp lancinating pain from middle of R. ankle in front, passing up the leg about 8 inches zig-zag—May 15.



After sitting awhile, on rising has an aching pain on top of L. foot, which prevents walking; causes her to fall > in a short time—545.

Sharp lancinating pains in middle front of R. leg.

For about a week, whenever I arose after sitting awhile, had a sharp pain in L. foot, passing from outside heel to top of instep; for the first few steps I would have no control over the foot, and would walk as if lame; it would be felt again after sitting—would rapidly pass off—Nov.

Severe pain in R. gluteal muscle; seems to catch me when I walk, so that I must bend to the right and walk lame—Jan.

Severe pain in front of both knees after C. M. given for sore throat while it > clinical. Fincke—Seized with fear and trembling of whole body, as from fright.

Longing and melancholy, as if homesick with oppressed breathing.

The habitual sighing disappeared; in the forenoon a condition of melancholy and sadness as previously, but less, followed by a pain in L. mammary and nipple. This breast was once sore when she suffered from mental symptoms for three months—Conyza.

Burning in cheek bones towards temples and lower jaw.

Wretched appearance and expression of face; eyes look as from weeping, though she has not wept.

Desire for dainties.

Heartburn with sweet taste coming from stomach without waterbrash.

Pressure in stomach, as if she had eaten something indigestible.

Feeling as if ulcerated anteriorly over short ribs, < from touch when stooping; slight swelling then all day till towards evening.

Sensation in region of heart, as if a fire was there, a feeling as if the heart would burst, or at times as if a heavy weight was lying on it, all of which spreads from this region over the whole inner and outer chest.

The heart aches as if it would burst, yet she cannot cry.

(*Exhaustion* and tired feeling, aggravation from a draft of air.

## POLYGONUM HYDROPIPER.

### IN HEAD.

1. Dizziness. Pressure in the back of the head on lying down. Pain, upon sudden rising, in the back of the head, with pain over the eyes. These symptoms much increased in damp weather, disappearing in moderately warm temperature.

2. Acute pain in the left side of the face, extending to the temple, sometimes darting through the whole of the left side of the head. Under pressure of great weariness or excitement a dull, depressed pain through the whole head, causing a sensation of torpor and a strong desire to sleep, with inability to do the thing.

### EXTERIOR SCALPS.

3. A sensation of sudden rising of the scalp of the head, with extreme irritation and increased dry expoliation.

### EYES.

A burning sensation in the eyeballs, and dry sensation in the lids. Convulsive twitching of the lids when closed, and when lying down dimness and wavering sight. An inflammation of the edges of the lid.

### EARS.

Dullness of hearing. Ringing sounds in the ears. Sudden sounds on the tympanum, producing momentary cessation of hearing. Acute pain in the ear when inclining the head downward, relieved from this sensation when the head is thrown backwards. Moist atmosphere exasperating all these symptoms. Excretions of the ears accelerated.

## NOSE.

Inflammation of the mucous membrane of the nose. A tickling sensation of the nostrils. Reddened or inflamed appearance of the same.

## CORYZA.

Inflammation of the mucous membrane of the eyes. Colorless liquid from eyes and nostrils, with a swollen sensation in both. A feeling of congestion through eyes and nose. Coldness in exterior of nose.

## FACE.

Excruciating pain and heat in left side of the face, much increased by cold or damp. Coldness in right side of face when pain is most severe in left. After severe pain sometimes drawing on left side of the face from chin to temple, this accompanied by paleness, with a drawn, tired look.

## TEETH.

A soreness on pressure, with a sensation of enlargement. Increased temperature in the mouth leaving this sensation.

## GUMS.

Tenderness of the gums. Cold or cooling temperature in the mouth producing an acute toothache.

## MOUTH.

Bitter taste in the mouth. Heat in the roof of the mouth, with excitation of the salivary glands. An increased flow of saliva, heated, affording no relief to the parched condition. Throat dry and hot, with a sensation of excoriation. Glands feel swollen, cold or moist air increasing it.

## APPETITE AND TASTE.

Loss of the appetite. Food is tasteless, or nearly so. Repulsion to swallowing. A contracted feeling in the

throat after swallowing, followed by thirst. No relief after drinking.

#### STOMACH.

A feeling of weight in the stomach. Pressure of clothes causing distress. Slight acidity. Pain upon pressure followed by throbbing and distress. General uneasiness in the stomach and abdomen. Dark discharges, followed by burning sensation in the rectum. All these symptoms increased upon lying down. Occasionally burning heat in both stomach and bowels. Cold temperature increasing both evacuations and violence of pain. Pain in the abdomen increased upon lying down.

#### MORAL.

Great depression, followed by excessive irritability. Gloomy views of life, and dislike of change and excessive dread of death.

#### URINE.

When the kidneys are affected by cold, causing a great disturbance in their secretions, such as inflammation. Urine of a high color, dark red. And in diseases of the kidneys themselves its action is specific. It causes an arrest of albumen, a deposition of the mucous in the bladder and of the phosphates. With diseases of the kidney pain in the back and at the lower extremity, sometimes an acute, and again a drawing pain, lateral in its action, as if the hips were being drawn together. A tearing and drawing sensation in the loins, and on exposure to cold followed by lameness and soreness of the same. A sensation of weakness in both upper and lower extremities. A distension of the blood vessels in both hands and feet. Swelling of both the legs and the feet. Pain in the arms, and inability or sensation of weakness in lifting the slightest weight. Downward pressure a great relief.

#### MALE GENT. ORG.

Irritation of the genital organs. Loss of power in their proper action. Weakness or inability to retain



their functional effluvia. Sometimes followed by inflammation of the glans penis. An extremely convulsive action in their functional or sensual uses.

#### FEMALE GENT. ORG.

Congestion of the genital organs. Weakness and loss of power. An intense dislike to their functional uses, followed by a perturbation and irritation if approached. An inaction of the flow of the secretions.

#### CATAMENIA.

A congestion of the ovaries. Inaction and tardiness in their formation. A tearing sensation in the groin, more especially in the right groin. A tardy menstruation from inaction, and too copious flowing, amounting at times to hemorrhage. A pain in the back and extremities. Pressure and soreness of the head. Grinding pain through the abdomen. And in case of too tardy menstruation the secretions become fetid, discharging offensive matter. Acrid leucorrhea excoriating the passages. It also produces a violent virulent action of the ovaries, followed by nausea, dizziness, and complete prostration. In connection with these conditions the respiratory organs much affected. The action of the abdomen in breathing becomes painful. The lungs enfeebled and labored. Increased action of the heart, with loss of rhythm. A stifling sensation in the larynx, and an irritability of the whole system. With this disturbance a weakness of the functions of the genital organs. Misconception. Shooting pains through the breast, with great soreness of the same. Hardness and distension, and great tenderness of the *mammæ*.

#### LARYNX.

Crowding and pressure about the larynx, with irritation of the bronchia. Hacking cough, more strongly manifested by change of temperature. Sometimes a roughness as of adhesion of mucous to the larynx, producing a spasmodic hacking and hoarseness.















